
ALFA1035H-2



Family	Professional ovens
Subfamily	Convection oven 10 trays EN 600x400 mm or GN1/1
Oven type	Convection oven with humidification
Oven control	Manual
Trays capacity	10 trays GN1/1 or 10 EN 600x400 mm (excluding flat grids and trays)
Power supply	400 V 3N~ / 23A / 16 kW / 50-60 Hz
Steam generation	Direct
Program storage with application	Not available
Maximum depth with open door	1536 mm
Adjustable feet	Yes
Net weight	102,000 kg
Product dimensions WxDxH	798x772x1100 mm
EAN code	8017709270148

Target

Solutions	Bakery/Pastry making; Frozen bakery industry; Food retail	**Suggested for**	Bakery

Aesthetics

Colour	Stainless steel	**Front panel**	Yes
Door with stainless steel stripes	Yes	**Logo**	Smeg printed

Controls

Timer setting range	1-60 minutes + endless	**Chimney regulation**	Manual

Programme / Functions

Backing functions

Convection

Convection with humidification


Options

Right hand hinge	ALFA1035HR-2	**Combinable hood**	K4610X
Right hand hinge	Yes		

Construction

Oven materials	Stainless steel / glass / plastics
Cavity dimensions (wxdxh)	672x437x854 mm
Gross volume	289,8 lt
Net volume	258,9 lt
Internal net volume	199,1 lt
Cavity material	Stainless steel
Shelves number	10
Tray frame support	Chromed wire
Shelves distance	77 mm
Door construction	Double glass
Door opening	Lateral - left hinge
Handle type	Rotating
Glass	Openable with hinge
Fan type and number	3 contrarotating with timed direction reversal
Fan motor power	Progressive %
Engine rpm	Single speed
Motor rpm in standard speed	2850 rpm

Water injection on each fan	Yes
Humidification levels	Manual
Exhaust position	Back
Timer type	Electric
Temperature range	50-270°C
End cooking signal	Yes
Orange light indicator t° achievement	Yes
Green light indicator time achievement	Yes
Safety switch with open door	Yes
Manual reset safety thermostat	Yes
Removable deflector	Yes
Lighting	3 Halogen lamps
Light power	40 W
Water load pipe	Yes
Power cable length	170 cm
Back panel	Galvanized
IPX protection	IPX3



Not included accessories




3805

Flat chrome-plated wire grid (4pcs)



3927

Air flow reducer kit for ovens ALFA410, 420, 625, 1035




TF11XH2

Perforated aluminium GN1/1 tray, 20 mm height



3743

Flat aluminium tray (4pcs)



TMF11TH2

GN 1/1 non-sticking microperforated tray, 20 mm height



T11XH20

2cm height aluminium GN1/1 tray, 20 mm height




T11XH65

GN1/1 aluminium tray, 65 mm height




T11TH20

GN1/1 non-stick tray, 20 mm height



G11X8P

8 vertical GN1/1 chicken grid




G11T

Non-stick GN1/1 tray




3751

Flat perforated aluminium tray (4pcs)




3810

Waved grid for baguettes (4pcs)



RGN11-1035-2

Support kit for grids or flat trays GN1/1 suitable for ALFA1035 models



T8S11T

8 holes GN 1/1 non-sticking tray



T11TH40

GN1/1 non-stick tray, 40 mm height

Alternative products



ALFA1035HR-2

Colour: Stainless steel

Symbols glossary (TT)



Fan forced heating



Fan forced heating with humidity injection