
freor

NDL NEPTUN LEAFLET

NDL NEPTUN BROSCHÜRE





NDL NEPTUN

EN | KEY BENEFITS:

| Modern looking small footprint solution for excellent visibility of all types of products.

| Perfect for extremely narrow exposition depth.

| Perfect as an additional cabinet for storage behind the counter.

| A fully plug-in version is available.

| Suitable for huge loads due to durable powder-coated, zinc-plated metal construction.

| Optional glass doors or front glass packet for better energy consumption.

| Optional canopy, shelf, or door LED lighting.

DE | HAUPTVORTEILE:

| Klimafreundliche Lösung im modernen Design für eine hervorragende Sicht auf alle Produkte.

| Perfekt für eine sehr geringe Auslagentiefe.

| Ideal als Ergänzung für den Lagerbedarf hinter Bedientheken.

| Als Plug-in-Version verfügbar.

| Für große Lasten und lange Haltbarkeit durch einen verzinkten und pulverbeschichteten Metallkorpus.

| Optionale Glastüren oder Frontglaspakete für niedrigeren Energieverbrauch.

| Optionale LED-Beleuchtung für Möbelkopf, Regal oder Tür.

MM	1250	1880	2500	3750	
°	N/A				

	HFC/HFO	CO_2	R290
PLUG-IN / STECKERFERTIG	√		√
REMOTE / ZENTRAL GEKÜHLT	√	√	
HYDROLOOP / HYDROLOOP	√		√

R290 PROPANE | R744 CO_2 | HFC/HFO

Refrigerant / Kältemittel

Connection Type / Anschlussart

Cooling Type / Kühlart

LED | ECO | CONTINUOUS COOLING

Efficiency / Effizienz

H1 (1...10 °C) | M2 (-1...7 °C) | M1 (-1...5 °C)

Temperature Class / Temperaturklasse


Flexibility / Flexibilität

From / aus der: A ↑ G B


freor

	MM	°C [+25 °C. 60% RH]	M^2	M^3
NDL NEPTUN L	1250 1880 2500 3750	1..10 / -1..7 / -1..5 H1 / M2 / M1*	2.46 3.67 4.89 7.32	1.00 1.49 1.99 2.99
NDL NEPTUN H	1250 1880 2500 3750	1..10 / -1..7 / -1..5 H1 / M2 / M1*	2.82 4.23 5.62 8.45	1.12 1.68 2.25 3.37


*available not for all modifications / nicht für alle Modifikationen verfügbar




NDL NEPTUN L GD



NDL NEPTUN L GD PLUG-IN



NDL NEPTUN H GD



NDL NEPTUN H GD PLUG-IN

